SMALL BOAT CHECK LIST

SHIP NAME:	INSPECTOR	BOAT REG # :	
SHIP HULL #:		DATE:	
THE SHIP'S SMALL BOAT HAD	THE FOLLOWING DEFIC	IENCIES:	
☐ SAT ☐ UNSAT ☐ N/A	BOAT HULL WAS DAMA	GED/CRACKED	
SAT UNSAT N/A	HOISTING SLINGS WERE	OUT OF WEIGHT TEST PERIODICITY	
☐ SAT ☐ UNSAT ☐ N/A	HOISTING SLINGS WERE	MISSING WEIGHT TEST TAGS/LABELS	S
☐ SAT ☐ UNSAT ☐ N/A	HOISTING SLINGS WERE	MISSING WEIGHT TEST DOCUMENTA	TION
☐ SAT ☐ UNSAT ☐ N/A	NAVIGATION LIGHTS W	ERE INOP	
☐ SAT ☐ UNSAT ☐ N/A	NAVIGATION LIGHT WA	S NOT KEYED TO SOCKET	
☐ SAT ☐ UNSAT ☐ N/A	HAND BILGE PUMP WAS	INOP/MISSING	
☐ SAT ☐ UNSAT ☐ N/A	INSTALLED MECHANICA DISCONNECTED/INOP	AL/ELECTRICAL BILGE PUMP WAS	
☐ SAT ☐ UNSAT ☐ N/A	INSTALLED MECHANICA	AL BILGE PUMP BELT WAS LOOSE/MIS	SING
☐ SAT ☐ UNSAT ☐ N/A	BILGE PLUGS WERE DAM	MAGED/MISSING	
☐ SAT ☐ UNSAT ☐ N/A	LIFTING PADS AND RING	GS WERE HEAVILY RUSTED	
SAT UNSAT N/A	BOAT BELL WAS NOT IN	STALLED	
☐ SAT ☐ UNSAT ☐ N/A	HORN WAS INOP		
☐ SAT ☐ UNSAT ☐ N/A	BOAT COMPASS WAS NO	OT MOUNTED	
SAT UNSAT N/A	BOAT COMPASS WAS NO	OT ILLUMINATED	
☐ SAT ☐ UNSAT ☐ N/A	DEVIATION TABLE WAS	MISSING	
☐ SAT ☐ UNSAT ☐ N/A	18" /24" LIFE RING WAS I	MISSING	
☐ SAT ☐ UNSAT ☐ N/A	LIFE PRESERVERS WERE	E MISSING/NOT MAINTAINED IAW PMS	>
☐ SAT ☐ UNSAT ☐ N/A	BOAT LABEL PLATE WA	S MISSING/NOT LEGIBLE	
☐ SAT ☐ UNSAT ☐ N/A	BOAT ALT PLATE WAS N	NOT POSTED/STAMPED	
☐ SAT ☐ UNSAT ☐ N/A	MAXIMUM RPM LABEL I	PLATE WAS NOT POSTED	
☐ SAT ☐ UNSAT ☐ N/A	"NO SMOKING" SIGN WA	AS NOT POSTED	
SAT UNSAT N/A	SMALL BOAT RECALL SI	IGNALS WERE NOT POSTED	

☐ SAT ☐ UNSAT ☐ N/A	SMALL BOAT FUELING INSTRUCTIONS WERE NOT POSTED
☐ SAT ☐ UNSAT ☐ N/A	DECK PLATES WERE MISSING/UNSECURED/RUSTED
☐ SAT ☐ UNSAT ☐ N/A	PORTABLE FIRE EXTINGUISHER WAS NOT MOUNTED
SAT UNSAT N/A	PORTABLE FIRE EXTINGUISHER WAS NOT INSPECTED IAW PMS
☐ SAT ☐ UNSAT ☐ N/A	ANCHOR WAS MISSING/DAMAGED
☐ SAT ☐ UNSAT ☐ N/A	ANCHOR LINE WAS MISSING
SAT UNSAT N/A	BOAT HOOK WAS MISSING
☐ SAT ☐ UNSAT ☐ N/A	BOAT ENSIGN WAS MISSING
☐ SAT ☐ UNSAT ☐ N/A	EMERGENCY TILLER WAS MISSING
☐ SAT ☐ UNSAT ☐ N/A	CABIN INTERIOR LIGHTS WERE INOP
☐ SAT ☐ UNSAT ☐ N/A	STEERING GEAR ASSEMBLY WAS SEVERELY CORRODED/DAMAGED/INOP
☐ SAT ☐ UNSAT ☐ N/A	RUDDER STOPS WERE DAMAGED/BENT/MISSING
☐ SAT ☐ UNSAT ☐ N/A	RUDDER DID NOT FULLY CYCLE TO THE RUDDER STOPS
SAT UNSAT N/A	ENGINE COLD WEATHER START ASSIST DEVICE WAS NOT INSTALLED
☐ SAT ☐ UNSAT ☐ N/A	BATTERY COMPARTMENT WAS NOT SEALED FROM THE ELEMENTS
☐ SAT ☐ UNSAT ☐ N/A	BATTERY QUICK DISCONNECT SWITCH WAS INOP/NOT INSTALLED
☐ SAT ☐ UNSAT ☐ N/A	BATTERY ACID LEVEL WAS LOW
☐ SAT ☐ UNSAT ☐ N/A	BATTERY CABLES WERE CHAFED/NOT SECURED
☐ SAT ☐ UNSAT ☐ N/A	STARTER CABLES WERE CHAFED/NOT SECURED
☐ SAT ☐ UNSAT ☐ N/A	STARTER ELECTRICAL TERMINALS WERE NOT INSULATED
☐ SAT ☐ UNSAT ☐ N/A	ENGINE START NEUTRAL SAFETY SWITCH WAS INOP/DISCONNECTED/BY-PASSED
☐ SAT ☐ UNSAT ☐ N/A	ALTERNATOR WIRES WERE CHAFED/NOT SECURED
☐ SAT ☐ UNSAT ☐ N/A	ALTERNATOR ELECTRICAL TERMINAL WERE NOT INSULATED
☐ SAT ☐ UNSAT ☐ N/A	ALTERNATOR BELT WAS LOOSE/MISSING
☐ SAT ☐ UNSAT ☐ N/A	ALTERNATOR BELT GUARD WAS MISSING
☐ SAT ☐ UNSAT ☐ N/A	ELECTRICAL WIRES WERE IN THE BILGE
☐ SAT ☐ UNSAT ☐ N/A	ACCESS/INSPECTION PLATES WERE MISSING/NOT SECURED/SEVERELY CORRODED

SAT UNSAT N/A	CLEATS WERE MISSING FASTENERS/DAMAGED
☐ SAT ☐ UNSAT ☐ N/A	SAMSON POST NORMAN PINS WERE BROKEN
☐ SAT ☐ UNSAT ☐ N/A ☐ SAT ☐ UNSAT ☐ N/A	ENGINE COVER WAS MISSING/DAMAGED ENGINE COVER LATCHES WERE DAMAGED/MISSING
☐ SAT ☐ UNSAT ☐ N/A	LAZARETTE DECK WAS OILY/CONTAINED WATER
☐ SAT ☐ UNSAT ☐ N/A	BOW/STERN TAFT RAILING WAS DAMAGED/MISSING FASTENERS
☐ SAT ☐ UNSAT ☐ N/A	BOAT AWNING ASSEMBLY WAS MISSING/INCOMPLETE
☐ SAT ☐ UNSAT ☐ N/A	BOAT BEADING WAS DAMAGED/MISSING SECTIONS
☐ SAT ☐ UNSAT ☐ N/A	ENGINE LUBE OIL LEVEL WAS LOW/HIGH
SAT UNSAT N/A	ENGINE JACKET WATER LEVEL WAS LOW/HIGH
☐ SAT ☐ UNSAT ☐ N/A	FUEL HOSES WERE LEAKING/CHAFED/NOT TAGGED
☐ SAT ☐ UNSAT ☐ N/A	LUBE OIL HOSES WERE LEAKING/CHAFED/NOT TAGGED
☐ SAT ☐ UNSAT ☐ N/A	JACKET WATER HOSES WERE LEAKING/CHAFED
☐ SAT ☐ UNSAT ☐ N/A	RAW WATER HOSES WERE LEAKING/CHAFED
☐ SAT ☐ UNSAT ☐ N/A	CRANKCASE BREATHER TUBE WAS MISSING/NOT SECURED
☐ SAT ☐ UNSAT ☐ N/A	ENGINE MOUNTING BOLTS WERE LOOSE/DAMAGED/MISSING
☐ SAT ☐ UNSAT ☐ N/A	ENGINE CHOCKS WERE CRACKED/SEVERELY DETERIORATED
☐ SAT ☐ UNSAT ☐ N/A	ENGINE VIBRATION ISOLATORS WERE CRACKED/SEVERELY DETERIORATED
☐ SAT ☐ UNSAT ☐ N/A	ENGINE REMOTE FUEL SHUT-OFF DEVICE WAS DAMAGED/INOP/NOT INSTALLED
☐ SAT ☐ UNSAT ☐ N/A	ENGINE BLOWER SHUTDOWN DEVICE WAS DAMAGED/INOP/NOT INSTALLED
☐ SAT ☐ UNSAT ☐ N/A	INSTALLED SAFETY ALARMS WERE INOP (NO OIL, LOW OIL, HIGH WATER TEMP)
☐ SAT ☐ UNSAT ☐ N/A	EXHAUST PIPING WAS NOT INSULATED PROPELLER WAS LOOSE/DAMAGED
☐ SAT ☐ UNSAT ☐ N/A	WINDSHIELD ASSEMBLY WAS DAMAGED/MISSING
☐ SAT ☐ UNSAT ☐ N/A	WINDSHIELD WIPER BLADES WERE DAMAGED//INOP/MISSING
☐ SAT ☐ UNSAT ☐ N/A	ENGINE AIR FILTERS WERE MISSING INSTRUMENT LIGHTS WERE INOP

SAT UNSAT N/A	
☐ SAT ☐ UNSAT ☐ N/A	FWD BILGE CONTAINED OIL/FUEL/DEBRIS
SAT UNSAT N/A	AFT BILGE CONTAINED OIL/FUEL/DEBRIS
SAT UNSAT N/A	BILGE IN ENGINE COMPARTMENT CONTAINED OIL/FUEL/DEBRIS
☐ SAT ☐ UNSAT ☐ N/A	INFLATABLE COLLAR/PONTOON WAS TORN/HOLED/UNDER INFLATED (RHIB)
☐ SAT ☐ UNSAT ☐ N/A	COXSWAIN FLAT BACKREST MISSING/NOT KEYED (RHIB)
☐ SAT ☐ UNSAT ☐ N/A	MANUAL INFLATOR PUMP WAS MISSING/INOP (RHIB)
SAT UNSAT N/A	SEAT CUSHIONS WERE DAMAGED/MISSING (RHIB)
☐ SAT ☐ UNSAT ☐ N/A	SEAT CUSHION FASTENERS WERE MISSING (RHIB)
NOTE: Small boat equipage wi	ll be inventoried. Have current AEL available and present during Inspector's inventory.
INSPECTOR REMARKS:	mventory.
ROAT STOWACE HAD THE	FOLLOWING DEFICIENCIES.
	FOLLOWING DEFICIENCIES:
BOAT STOWAGE HAD THE SAT UNSAT N/A	FOLLOWING DEFICIENCIES: LADDER OR PLATFORM WAS INSTALLED TO PROVIDE ACCESS TO THE BOAT
	LADDER OR PLATFORM WAS INSTALLED TO PROVIDE ACCESS TO
☐ SAT ☐ UNSAT ☐ N/A	LADDER OR PLATFORM WAS INSTALLED TO PROVIDE ACCESS TO THE BOAT KEEL REST HYDRAULIC JACKS WERE DAMAGED/LEAKED
☐ SAT ☐ UNSAT ☐ N/A ☐ SAT ☐ UNSAT ☐ N/A	LADDER OR PLATFORM WAS INSTALLED TO PROVIDE ACCESS TO THE BOAT KEEL REST HYDRAULIC JACKS WERE DAMAGED/LEAKED OIL/WERE INOP BOAT CHOCKS WERE NOT A MINIMUM OF 4" WOOD COVERED WITH
☐ SAT ☐ UNSAT ☐ N/A ☐ SAT ☐ UNSAT ☐ N/A ☐ SAT ☐ UNSAT ☐ N/A	LADDER OR PLATFORM WAS INSTALLED TO PROVIDE ACCESS TO THE BOAT KEEL REST HYDRAULIC JACKS WERE DAMAGED/LEAKED OIL/WERE INOP BOAT CHOCKS WERE NOT A MINIMUM OF 4" WOOD COVERED WITH 1/4" SYNTHETIC RUBBER (MIL-R-900. BOATS WERE STOWED WITH THE BOW POINTED AFT VICE
□ SAT □ UNSAT □ N/A	LADDER OR PLATFORM WAS INSTALLED TO PROVIDE ACCESS TO THE BOAT KEEL REST HYDRAULIC JACKS WERE DAMAGED/LEAKED OIL/WERE INOP BOAT CHOCKS WERE NOT A MINIMUM OF 4" WOOD COVERED WITH 1/4" SYNTHETIC RUBBER (MIL-R-900. BOATS WERE STOWED WITH THE BOW POINTED AFT VICE FORWARD. WHEN SECURED IN THE STOWED POSITION, DAVIT/BOAT(S)

SAT UNSAT N/A	BOAT CHOCKS WERE NOT MOUNTED FROM FIXED SUPPORTS OR FRAMES.
☐ SAT ☐ UNSAT ☐ N/A	CHOCKS DID NOT CONSIST OF METAL SHOES TO WHICH WOODEN INSERTS WERE ATTACHED.
□ SAT □ UNSAT □ N/A	CHOCKS WERE NOT CONTOURED TO SUIT THE AREA OF THE HULL THEY BORE AGAINST AND WERE NOT OF SUFFICIENT SIZE TO AVOID LOCALIZED PRESSURE ON THE BOAT HULL (I.E. 6 INCHES MINIMUM WIDTH FOR WOODEN HULL, 10 INCHES MINIMUM WIDTH FOR METALLIC OR PLASTIC HULLS).
☐ SAT ☐ UNSAT ☐ N/A	WOODEN INSERTS WERE NOT A MINIMUM THICKNESS OF 4 INCHES TO PERMIT RE-FACING OR REPLACEMENT IN THE EVENT OF BOAT SUBSTITUTION.
☐ SAT ☐ UNSAT ☐ N/A	CHOCKS WERE NOT LOCATED OPPOSITE FRAMES, BULKHEADS, OR AREAS IN THE BOAT WHERE WEIGHTS WERE CONCENTRATED.
☐ SAT ☐ UNSAT ☐ N/A	KEEL RESTS AND BOAT CHOCKS DID NOT HAVE 90 PERCENT MINIMUM CONTACT WITH BOAT IN STOWED POSITION.
☐ SAT ☐ UNSAT ☐ N/A	BOATS WERE NOT SECURED IN THEIR STOWED POSITION UTILIZING GRIPES OR STRONGBACKS WITH GRIPE RODS.
□ SAT □ UNSAT □ N/A	TAKEUP DEVICES ON BOAT GRIPES WERE NOT MARKED TO IDENTIFY WHEN THE GRIPE IS PROPERLY ADJUSTED FOR A SNUG AND TIGHT FIT. THIS MARK IS TO SERVE AS A GUIDE TO PREVENT OVERTIGHTENING WHICH MIGHT CAUSE PERMANENT DEFORMATION TO THE GRIPE OR BOAT HULL.
☐ SAT ☐ UNSAT ☐ N/A	TAKEUP DEVICES WERE NOT PROVIDED WITH A LOCKING FEATURE TO MAINTAIN SET ADJUSTMENT.
☐ SAT ☐ UNSAT ☐ N/A	BOAT GRIPE RELEASES WERE NOT THE QUICK RELEASE TYPE/NOT READILY ACCESSIBLE